

The Whale (age 3-12 years) Ref. KZM1000

special projects

Technical information

Animal: Build in polyester painted by mass, with gel-coat of predominant colour

and anti-graffiti treatment.

Structure: Internal build in galvanized steel pipe.

Platforms: Stepable zone realized in high resistance continuous wet-pour rubber

surfacing (EPDM).

Screws: On galvanized steel. Anchoring: Galvanized steel for

mounting on concrete foundation.













The company reserves the right to perform any modification or change in their products.



Assembly: 4 pers. 4 hours.

Total high: 2,40 m. Free fall height: 1,50 m. **Dimensions:**

7,7 x 2,45 x h2,4 m.

Safety area: 61,50 m² (For the example

installation).

Biggest element dimensions: 3,40 m.

Spare

parts disponibility: 3 years.




The Whale (age 3-12 years)

Special projects

Ref. KZM1000

Maximum dimensions (m.)

















The company reserves the right to perform any modification or change in their products.

Total safety area: 61,50 m² 9,35



General dimensions (m.).



The separation and orientation of the two elements, head, and body, may vary, as long as the necessary security areas of each element do not conflict. Consult possible alternatives.

Installation. Screwed to concrete floor using expansion plugs or threaded rod and epoxy. Finished

rubber tiles. Maintenance:

Checking: all fixing points, screws and bolts must be periodically checked and tightened again if necessary. The checking date must be annotated in order to establish a control.

with compacted material coating either continuous wet-pour rubber surfacing or

Inspections:

- 1. Routine visual inspection. An eye and functional inspection will be performed to verify that you have not suffered any vandalism damage.
- 2. Functional inspection. This inspection will be carried out with a periodicity of 1 to 3 months and attention should be paid to the components "sealed for life" and the equipment whose stability depends on a post.
- 3. Annual inspection. A complete inspection of the whole set will be carried out in order to verify that it meets all the sections of the standard and that it has not been modified.

C/ Foia, 13 P.I. Alquería de Moret 46210 Picanya

(Valencia)









The company reserves the right to perform any modification or change in their products.

Foundation dimensions for a straight distribution of the elements.

For other distributions, consult us.



Anchoring detail



- 1 Animal.
- 2 Tab.
- 3 Playing surface.
- 4 Rubber.
- 5 Foundation's upper layer.
- 6 Foundation.